




WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

C9C

1000 E. GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT
Docket No. 15436.252.4.1



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Klotz et al.

Serial No.: 10/661,716

Filed: Sep. 12, 2003

Confirmation No.: 8255

For: *NETWORK ANALYSIS OMNISCIENT LOOP STATE MACHINE*

Examiner: Robert Beausoliel

Patent No.: 7,343,524 B2

Issue Date: Mar. 11, 2008

Art Unit
2113

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate

AUG 05 2010

of Correction

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 28 day of JUNE, 2010.

Respectfully submitted,




KULANIAKEA FISHER
Attorney for Applicant
Registration No.: 50,987
Customer No.: 22913

WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 27 day of July, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check No. 169456 in the amount of \$100

KF:tgp
2917149_1

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Title of invention change "OMNISCENT" to --OMNISCIENT--

Abstract change "frame" to --frames--

Page 2, Right Hand Side, Line 2, change "Lans" to --Labs--

Column 7

Line 46 change "different" to --difference--

Line 59 change "be" to --to be--

Line 64 change "captures" to --capture--

Column 9

Line 24 change "is divided" to --divided--

Column 10

Line 39 change "errors" to --error--

Column 12

Line 65 change "widow" to --window--

Column 13

Line 46 change "is essentially" to --essentially--

Line 52 change "operations" to --operation is--

Column 16

Line 19 change "the determine" to --they determine--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 2 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 19

Line 10 change "10440" to --104400--

Line 43 change "of the ending point of the" to --of the --

Column 20

Line 42 change "nothing of having" to --having nothing--

Column 21

Line 5 change "the generally" to --generally--

Line 22 change "may" to --may be--

Line 26 change "see" to --sees--

Line 27 change "of sudden" to --of a sudden--

Line 42 change "and error" to --an error--

Column 25

Line 54 change "at of" to --at all of--

Column 26

Line 66 change "ones" to --once--

Column 32

Line 62 change "measure" to --measures--

Line 64 change "o" to --to--

Column 34

Line 36 change "this" to --these--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 3 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 35

Line 20 change "gaps" to --"gaps"--

Column 37

Line 23 change "valued" to --values--

Column 38

Line 5 change "frame" to --frame, which--

Line 14 change "exchanges to" --exchanges--

Line 27 change ":exchanges," to --exchanges--

Column 40

Line 54 change "a represent" to --and represent--

Column 42

Line 14 change "have" to --has--

Line 14 change "to" to --with--

Line 25 change "need" to --needs--

Column 43

Line 54 change "in a" to --to a--

Column 44

Line 10 change "frames a" to --frames are--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 4 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 46

Line 41 "are" to --is--

Column 47

Line 3 change "are" to --is--

Line 61 change "determine" to --determines--

Column 48

Line 15 change "port" to --ports--

Column 49

Line 15 change "and out" to --an out--

Column 50

Line 25 change "measure" to --measures--

Column 53

Line 41 change "can" to --which can--

Column 57

Line 64 change "specification" to --specifications--

Column 59

Line 35 change "where" to --location of--

Line 67 change "analyze" to --to analyze--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 5 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 60

Line 65 change "in" to --is in a--

Line 43 change "add" to --adds--

Line 48 change "add" to --adds--

Column 63

Line 6 change "add" to --adds--

Line 36 change "add" to --adds--

Line 41 change "add" to --adds--

Column 65

Line 4 change "is in" to --in--

Column 66

Line 56 change "our" to --out--

Column 69

Line 67 change "describes" to --which describes--

Column 70

Line 4 change "this" to --these--

Line 65 change "this" to --these

Column 74

Line 19 change "that" to --that were--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 6 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 82

Line 46 change "if" to --is--

Column 83

Line 30 change "an" to --and--

Column 84

Line 8 change "do" to --does--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Title of invention change "OMNISCENT" to --OMNISCIENT--

Abstract change "frame" to --frames--

Page 2, Right Hand Side, Line 2, change "Lans" to --Labs--

Column 7

Line 46 change "different" to --difference--

Line 59 change "be" to --to be--

Line 64 change "captures" to --capture--

Column 9

Line 24 change "is divided" to --divided--

Column 10

Line 39 change "errors" to --error--

Column 12

Line 65 change "widow" to --window--

Column 13

Line 46 change "is essentially" to --essentially--

Line 52 change "operations" to --operation is--

Column 16

Line 19 change "the determine" to --they determine--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111**

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 19

Line 10 change "10440" to --104400--

Line 43 change "of the ending point of the" to --of the --

Column 20

Line 42 change "nothing of having" to --having nothing--

Column 21

Line 5 change "the generally" to --generally--

Line 22 change "may" to --may be--

Line 26 change "see" to --sees--

Line 27 change "of sudden" to --of a sudden--

Line 42 change "and error" to --an error--

Column 25

Line 54 change "at of" to --at all of--

Column 26

Line 66 change "ones" to --once--

Column 32

Line 62 change "measure" to --measures--

Line 64 change "o" to --to--

Column 34

Line 36 change "this" to --these--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 3 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 35

Line 20 change "gaps" to --"gaps"--

Column 37

Line 23 change "valued" to --values--

Column 38

Line 5 change "frame" to --frame, which--

Line 14 change "exchanges to" --exchanges--

Line 27 change ":exchanges," to --exchanges--

Column 40

Line 54 change "a represent" to --and represent--

Column 42

Line 14 change "have" to --has--

Line 14 change "to" to --with--

Line 25 change "need" to --needs--

Column 43

Line 54 change "in a" to --to a--

Column 44

Line 10 change "frames a" to --frames are--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 4 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 46

Line 41 "are" to --is--

Column 47

Line 3 change "are" to --is--

Line 61 change "determine" to --determines--

Column 48

Line 15 change "port" to --ports--

Column 49

Line 15 change "and out" to --an out--

Column 50

Line 25 change "measure" to --measures--

Column 53

Line 41 change "can" to --which can--

Column 57

Line 64 change "specification" to --specifications--

Column 59

Line 35 change "where" to --location of--

Line 67 change "analyze" to --to analyze--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 5 of 6

PATENT NO. : 7,343,524 B2
APPLICATION NO. : 10/661,716
ISSUE DATE : Sep. 12, 2003
INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 60

Line 65 change "in" to --is in a--
Line 43 change "add" to --adds--
Line 48 change "add" to --adds--

Column 63

Line 6 change "add" to --adds--
Line 36 change "add" to --adds--
Line 41 change "add" to --adds--

Column 65

Line 4 change "is in" to --in--

Column 66

Line 56 change "our" to --out--

Column 69

Line 67 change "describes" to --which describes--

Column 70

Line 4 change "this" to --these--
Line 65 change "this" to --these

Column 74

Line 19 change "that" to --that were--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 6 of 6

PATENT NO. : 7,343,524 B2

APPLICATION NO. : 10/661,716

ISSUE DATE : Sep. 12, 2003

INVENTOR(S) : Klotz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 82

Line 46 change "if" to --is--

Column 83

Line 30 change "an" to --and--

Column 84

Line 8 change "do" to --does--

MAILING ADDRESS OF SENDER (Please do not use customer number)

KULANIAKEA FISHER, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 333-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT
Docket No. 15436.252.4.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In application of

Klotz et al.

Serial No.: 10/661,716

Filed: Sep. 12, 2003

Confirmation No.: 8255

For: *NETWORK ANALYSIS OMNISCIENT LOOP STATE
MACHINE*

Examiner: Robert Beausoliel

Patent No.: 7,343,524 B2

Issue Date: Mar. 11, 2008

Art Unit
2113

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 25 day of JUNE, 2010.

Respectfully submitted,




KULANIAKEA FISHER
Attorney for Applicant
Registration No.: 50,987
Customer No.: 22913

WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 27 day of July, 2010.

Respectfully submitted,



Transmitted:

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check No. 69456 in the amount of \$100

KF:lgp
2917149_1